

GENERAL purpose thermometer

N°3

100%
designed &
manufactured
in France
by a French
company

a1st

origine
FRANCE | Design protected in France,
Europe, USA, China

Alla France

Z.I. du Bompas - 13, rue du Bompas - Chemillé - 49120 Chemillé-en-Anjou - FRANCE

Tél. + 33 (0)2 41 30 55 08 - Contact : sales@allafrance.com

www.allafrance.com



ALLA®
France

N°3

#91000AF003

General purpose digital thermometer

With stainless steel penetration probe for precise temperature measurements.

For use in a wide variety:

Education, laboratory, storage, transport, cooking, hotels and restaurants, food industry and HACCP, industrial process, cold chain, wine industry and beverages...

The first of a long line...



MEASURING RANGE -50°C + 300°C / -58 + 572°F
RESOLUTION 0,1°
ACCURACY ±0.5°C ±1°F (-20+110°C) ±1°C / ±2°F (between -30°C and -20°C and +150°C+200°C) otherwise ±2°C

FAST RESPONSE TIME ±6 sec.
FUNCTIONS Hold (the temperature displayed can be locked), Auto-off after 5mins, Backlight: 10 seconds
Hanging hole Induction-ready



PROBE Fixed 110mm, Ø 3.8mm, tip Ø2.5mm, food grade 304 stainless steel
PROTECTION INDEX IP 65
CASING ABS and SEBS

BATTERY 1 CR2032 3V lithium battery (±3000 hrs.)
PACKAGING Hanging plastic-free cardboard box
DIMENSIONS /WEIGHT Alone: 45 x 45 x 210mm / 42g Complete in box: 48 x 48 x 240mm Weight: 66g



french cooking by



FRIDGE/FREEZER thermometer

N°8

100%
designed &
manufactured
in France
by a French
company

a1st

origine
FRANCE

Design protected in France,
Europe, USA, China

Alla France

Z.I. du Bompas - 13, rue du Bompas - Chemillé - 49120 Chemillé-en-Anjou - FRANCE

Tél. + 33 (0)2 41 30 55 08 - Contact : sales@allafrance.com

www.allafrance.com



ALLA®
France

N°8

#91000AF008

Digital thermometer EN 13485 for fridge and freezer

It allows you to precisely control the state of conservation of your goods and to protect your perishable goods. Attach the thermometer housing to the wall of your fridge or freezer and secure the probe inside the unit using the included suction cup. Program your alert temperature.

You will be able to see the temperature inside the unit, without opening the door .

For use in a wide variety:

storage, transport, hotels and restaurants, food industry and HACCP, laboratory and industrial process.

The first of a long line...



IN MEASURING RANGE -5+50°C/ +23+122°F
EXT MEASURING RANGE -50+70°C / -58+158°F
RESOLUTION 0.1°
GUARANTEED ACCURACY ±0.5°C ±1°F (-4 +6°C/+25 +42°F) otherwise ±1°C / ±2°F (+7 +70°C/+45+158°F) ±1.5°C/ ±3°F (-20 -3°C/-4 -26°F) ±3°C/ ±6°F (-50 -21°C/-58 -6°F)

FUNCTIONS Maximum / Minimum, internal and external temperatures, Backlight Magnet, back stand
ALARMS Programmable warning sound and flashing backlight, stop only when turned off



CABLE AND PROBE 100 cm, with suction cup / IP67
EN 13485 Supplied with HACCP Guaranteed Accuracy Certificate
CASING ABS and SEBS

BATTERY 1 CR2032 3V lithium battery (±3000 hrs.)
PACKAGING Hanging plastic-free cardboard box
DIMENSIONS/WEIGHT Alone: 90 x 55 x 20mm / 36g Complete in box: 125 x 160 x 25mm Weight: 60g



french cooking by 



OVEN thermometer

N°9

100%
designed &
manufactured
in France
by a French
company

a1st

origine
FRANCE | Design protected in France,
Europe, USA, China

Alla France

Z.I. du Bompas - 13, rue du Bompas - Chemillé - 49120 Chemillé-en-Anjou - FRANCE

Tél. + 33 (0)2 41 30 55 08 - Contact : sales@allafrance.com

www.allafrance.com



ALLA®
France

N°9

#91000AF009

Digital thermometer with remote probe specially designed for the oven

To control the core temperature in food without opening the oven door.

Plug the cable into the port, stick the thermometer onto your oven door or place it standing on your work surface, program your cooking data and insert the probe into the centre of your food.

Thermometer suitable for other applications.

The first of a long line...



MEASURING RANGE
-50+300°C / -58+572°F

RESOLUTION
0.1°

ACCURACY
±1°C / ±2°F (0+200°C)
otherwise ±2°C / ±4°F

FUNCTIONS

Maximum / Minimum,
Hold (the temperature displayed
can be locked)

Hanging hole, magnet, back stand,
backlight, induction-ready

ALARM

Programmable

CABLE

food grade 304 stainless steel,
100mm, IP67

PROBE

food grade 304 stainless steel,
150mm, Ø4mm, IP67

CASING

ABS and SEBS

BATTERY

1 CR2032 3V lithium battery (±3000 hrs.)

PACKAGING

Hanging plastic-free cardboard box

DIMENSIONS/WEIGHT

Alone: 95 x 95 x 30mm / probe: 55g

Complete in box: 310 x 120 x 30mm

Weight: 200g



french cooking by

French design
French made
French company

a1st

®
France